

# LUSAKA low cut outdoor shoes bleu

» Shoes » Outdoor shoes » Low cut

## Technical sheet

### LUSAKA low cut outdoor shoes bleu

Product code: 4445-11



|                     |                                                                                                  |
|---------------------|--------------------------------------------------------------------------------------------------|
| <b>upper</b>        | synthetic, brushed EKO VELOUR material, leather combined with textile                            |
| <b>lining</b>       | laminated breathable fabric MESH                                                                 |
| <b>inner insole</b> | HI-POLY – anatomically shaped, lightweight polyurethane foam coated with fabric MESH, antistatic |
| <b>outsole</b>      | EVA/RUBBER – glued construction                                                                  |
| <b>size</b>         | 36 – 48                                                                                          |
| <b>usability</b>    | shoes suitable for daily wear and outdoor activities                                             |
| <b>version</b>      | blue colour                                                                                      |

## Properties

|                                                           |    |
|-----------------------------------------------------------|----|
| <b>PL</b> Midsole penetration protection nonmetallic - PL | No |
| <b>PS</b> Midsole penetration protection nonmetallic - PS | No |
| <b>SR</b> Antislip prop. on ceramic with glycerol         | No |
| <b>WPA</b> Water resistant upper                          | No |
| <b>HRO</b> Resist. of the outsole against contact heat    | No |
| <b>WR</b> Water resistant                                 | No |
| <b>WRU</b> Water resistant upper                          | No |

# LUSAKA low cut outdoor shoes bleu

» Shoes » Outdoor shoes » Low cut

|                                                         |            |
|---------------------------------------------------------|------------|
| <b>CI</b> Insulation against cold                       | No         |
| <b>HI</b> Insulation of the outsole against heat        | No         |
| <b>FO</b> Resist. of the outsole against fuel oils      | No         |
| <b>P</b> Midsole penetration protection                 | No         |
| <b>E</b> Energy absorption in the heel area             | No         |
| <b>M</b> Instep protection                              | No         |
| <b>A</b> Antistatic properties                          | No         |
| <b>AN</b> Ankle protection                              | No         |
| <b>CR</b> Cut resistant upper                           | No         |
| <b>SRA</b> Antislip prop. on ceramic tile with SLS      | No         |
| <b>SRB</b> Antislip prop. on smooth steel with glycerol | No         |
| <b>SRC</b> Antislip resistance SRA + SRB                | No         |
| <b>Free-tex</b> Membrane                                | No         |
| <b>Michelin</b> Michelin® sole                          | No         |
| <b>BOA</b> BOA Fit System                               | No         |
| <b>NON-METALIC</b> Footwear without metal parts         | No         |
| <b>ESD</b> antistatic properties ESD                    | No         |
| <b>Winter</b> Winter footwear                           | No         |
| <b>ANTICUT</b> Anti-cut boots                           | No         |
| <b>Standard</b>                                         | 20347:2012 |
| <b>Shoe marking</b>                                     | 00         |

## Logistics parameters

| Velikost | Net weight | Gross weight | Sales box - width | Sales box - length | Sales box - height | Group packaging - width | Group packaging - length | Group packaging - height | Group packaging - weight | Vnitřní délka obuvi |
|----------|------------|--------------|-------------------|--------------------|--------------------|-------------------------|--------------------------|--------------------------|--------------------------|---------------------|
| 36       | 0,53 kg    | 0,73 kg      | 200 mm            | 300 mm             | 110 mm             | 425 mm                  | 580 mm                   | 320 mm                   | 11,40 kg                 | 240,0 mm            |
| 37       | 0,55 kg    | 0,75 kg      | 200 mm            | 300 mm             | 110 mm             | 425 mm                  | 580 mm                   | 320 mm                   | 11,80 kg                 | 247,0 mm            |
| 38       | 0,58 kg    | 0,78 kg      | 200 mm            | 300 mm             | 110 mm             | 425 mm                  | 580 mm                   | 320 mm                   | 12,00 kg                 | 253,0 mm            |
| 39       | 0,59 kg    | 0,80 kg      | 200 mm            | 300 mm             | 110 mm             | 425 mm                  | 580 mm                   | 320 mm                   | 12,20 kg                 | 260,0 mm            |
| 40       | 0,62 kg    | 0,82 kg      | 200 mm            | 300 mm             | 110 mm             | 425 mm                  | 580 mm                   | 320 mm                   | 12,60 kg                 | 267,0 mm            |
| 41       | 0,65 kg    | 0,86 kg      | 200 mm            | 320 mm             | 110 mm             | 425 mm                  | 610 mm                   | 320 mm                   | 12,80 kg                 | 273,0 mm            |
| 42       | 0,67 kg    | 0,89 kg      | 200 mm            | 320 mm             | 110 mm             | 425 mm                  | 610 mm                   | 320 mm                   | 13,00 kg                 | 280,0 mm            |
| 43       | 0,71 kg    | 0,95 kg      | 200 mm            | 320 mm             | 110 mm             | 425 mm                  | 610 mm                   | 320 mm                   | 13,60 kg                 | 286,0 mm            |
| 44       | 0,74 kg    | 1,01 kg      | 200 mm            | 320 mm             | 110 mm             | 425 mm                  | 610 mm                   | 320 mm                   | 14,20 kg                 | 293,0 mm            |
| 45       | 0,77 kg    | 1,05 kg      | 210 mm            | 370 mm             | 130 mm             | 445 mm                  | 685 mm                   | 395 mm                   | 14,40 kg                 | 300,0 mm            |
| 46       | 0,80 kg    | 1,10 kg      | 210 mm            | 370 mm             | 130 mm             | 445 mm                  | 685 mm                   | 395 mm                   | 14,60 kg                 | 306,0 mm            |
| 47       | 0,83 kg    | 1,15 kg      | 210 mm            | 370 mm             | 130 mm             | 445 mm                  | 685 mm                   | 395 mm                   | 15,60 kg                 | 313,0 mm            |
| 48       | 0,85 kg    | 1,18 kg      | 210 mm            | 370 mm             | 130 mm             | 445 mm                  | 685 mm                   | 395 mm                   | 15,80 kg                 | 320,0 mm            |

## Business parameters

|                 |          |
|-----------------|----------|
| <b>Tarric</b>   | 64041990 |
| <b>Country</b>  | BD       |
| <b>Weight</b>   | 1,07 kg  |
| <b>Add Unit</b> | NPR      |

# LUSAKA low cut outdoor shoes bleu

» Shoes » Outdoor shoes » Low cut

**Add Quantity**    1