

GLASGOW high heel occupational shoes

» Shoes » Occupational shoes » Boots

Technical sheet

GLASGOW high heel occupational shoes

Product code: 2390-02



upper	cowhide leather in a thickness of 2,0 - 2,2 mm
lining	laminated breathable fabric FLESH
inner insole	HI-POLY - anatomically shaped lightweight polyurethane foam coated with fabric MESH, antistatic
outsole	PU/RUBBER - up to 300°C, resistant to fuel oils, antistatic, antislip, double density injection
size	37 - 48
standard	EN ISO 20347:2012
version	02 FO HRO SRC - without steel toe cap and midsole, hydrophobic

Properties

PL Midsole penetration protection nonmetallic - PL	No
PS Midsole penetration protection nonmetallic - PS	No
SR Antislip prop. on ceramic with glycerol	No
WPA Water resistant upper	No
HRO Resist. of the outsole against contact heat	Yes
WR Water resistant	No

GLASGOW high heel occupational shoes

» Shoes » Occupational shoes » Boots

WRU Water resistant upper	Yes
CI Insulation against cold	No
HI Insulation of the outsole against heat	No
FO Resist. of the outsole against fuel oils	Yes
P Midsole penetration protection	No
E Energy absorption in the heel area	Yes
M Instep protection	No
A Antistatic properties	Yes
AN Ankle protection	No
CR Cut resistant upper	No
SRA Antislip prop. on ceramic tile with SLS	Yes
SRB Antislip prop. on smooth steel with glycerol	Yes
SRC Antislip resistance SRA + SRB	Yes
Free-tex Membrane	No
Michelin Michelin® sole	No
BOA BOA Fit System	No
NON-METALIC Footwear without metal parts	No
ESD antistatic properties ESD	No
Winter Winter footwear	No
ANTICUT Anti-cut boots	No
Standard	20347:2012
Shoe marking	O2

Logistics parameters

Velikost	Net weight	Gross weight	Sales box - width	Sales box - length	Sales box - height	Group packaging - width	Group packaging - length	Group packaging - height	Group packaging - weight	Vnitřní délka obuvi
37	1,30 kg	1,60 kg	320 mm	315 mm	120 mm	600 mm	645 mm	350 mm	17,70 kg	237,0 mm
38	1,34 kg	1,65 kg	320 mm	315 mm	120 mm	600 mm	645 mm	350 mm	18,00 kg	244,5 mm
39	1,37 kg	1,73 kg	320 mm	315 mm	120 mm	600 mm	645 mm	350 mm	18,40 kg	252,0 mm
40	1,39 kg	1,76 kg	320 mm	315 mm	120 mm	600 mm	645 mm	350 mm	18,80 kg	259,5 mm
41	1,43 kg	1,79 kg	320 mm	315 mm	120 mm	600 mm	645 mm	350 mm	19,20 kg	267,0 mm
42	1,47 kg	1,83 kg	320 mm	315 mm	120 mm	600 mm	645 mm	350 mm	19,60 kg	274,5 mm
43	1,54 kg	1,94 kg	330 mm	350 mm	125 mm	655 mm	675 mm	380 mm	21,00 kg	282,0 mm
44	1,56 kg	1,96 kg	330 mm	350 mm	125 mm	655 mm	675 mm	380 mm	21,60 kg	289,5 mm
45	1,68 kg	2,09 kg	330 mm	350 mm	125 mm	655 mm	675 mm	380 mm	22,60 kg	297,0 mm
46	1,77 kg	2,17 kg	330 mm	350 mm	125 mm	655 mm	675 mm	380 mm	24,20 kg	304,5 mm
47	1,83 kg	2,24 kg	330 mm	350 mm	125 mm	655 mm	675 mm	380 mm	24,00 kg	312,0 mm
48	1,94 kg	2,35 kg	330 mm	350 mm	125 mm	655 mm	675 mm	380 mm	25,00 kg	319,5 mm

Business parameters

Tarric	64039113
Country	CN
Weight	1,89 kg
Add Unit	NPR

GLASGOW high heel occupational shoes

» Shoes » Occupational shoes » Boots

Add Quantity 1