

BELFAST safety boots, ANTICUT

» Shoes » Safety shoes » Boots

Technical sheet

BELFAST safety boots, ANTICUT

Product code: 2350-S3



upper	cowhide leather in a thickness of 2,0 - 2,2 mm	
lining	laminated breathable fabric CAMBRELLA	
inner insole	HI-POLY - anatomically shaped lightweight polyurethane foam coated with fabric MESH, antistatic	
outsole	PU/RUBBER - up to 300°C, resistant to fuel oils, antistatic, antislip, double density injection	
size	39 - 47	
standard	EN ISO 20345:2011	EN ISO 17249:2013/AC:2014-02
version	S3 HRO SRC CI ANTICUT LEVEL 1 - with steel toe cap and midsole, hydrophobic, anticut kevlar lining, kevlar sewing	

Properties

PL Midsole penetration protection nonmetallic - PL	No
PS Midsole penetration protection nonmetallic - PS	No

BELFAST safety boots, ANTICUT

» Shoes » Safety shoes » Boots

SR Antislip prop. on ceramic with glycerol	No
WPA Water resistant upper	No
HRO Resist. of the outsole against contact heat	Yes
WR Water resistant	No
WRU Water resistant upper	Yes
CI Insulation against cold	Yes
HI Insulation of the outsole against heat	No
FO Resist. of the outsole against fuel oils	Yes
P Midsole penetration protection	Yes
E Energy absorption in the heel area	Yes
M Instep protection	No
A Antistatic properties	Yes
AN Ankle protection	No
CR Cut resistant upper	No
SRA Antislip prop. on ceramic tile with SLS	Yes
SRB Antislip prop. on smooth steel with glycerol	Yes
SRC Antislip resistance SRA + SRB	Yes
Free-tex Membrane	No
Michelin Michelin® sole	No
BOA BOA Fit System	No
NON-METALIC Footwear without metal parts	No
ESD antistatic properties ESD	No
Winter Winter footwear	Yes
ANTICUT Anti-cut boots	Yes
Standard	20345:2012
Shoe marking	S3

Logistics parameters

Velikost	Net weight	Gross weight	Sales box - widht	Sales box - length	Sales box - height	Group packaging - widht	Group packaging - length	Group packaging - height	Group packaging - weight	Vnitřní délka obuvi
39	2,14 kg	2,57 kg	330 mm	390 mm	125 mm	650 mm	680 mm	420 mm	27,40 kg	252,0 mm
40	2,16 kg	2,59 kg	330 mm	390 mm	125 mm	650 mm	680 mm	420 mm	27,60 kg	259,5 mm
41	2,22 kg	2,65 kg	330 mm	390 mm	125 mm	650 mm	680 mm	420 mm	28,20 kg	267,0 mm
42	2,31 kg	2,75 kg	330 mm	390 mm	125 mm	650 mm	680 mm	420 mm	28,80 kg	274,5 mm
43	2,41 kg	2,92 kg	350 mm	420 mm	135 mm	700 mm	720 mm	450 mm	31,00 kg	282,0 mm
44	2,45 kg	2,96 kg	350 mm	420 mm	135 mm	700 mm	720 mm	450 mm	31,40 kg	289,5 mm
45	2,57 kg	3,08 kg	350 mm	420 mm	135 mm	700 mm	720 mm	450 mm	32,80 kg	297,0 mm
46	2,60 kg	3,10 kg	350 mm	420 mm	135 mm	700 mm	720 mm	450 mm	33,60 kg	304,5 mm
47	2,77 kg	3,26 kg	350 mm	420 mm	135 mm	700 mm	720 mm	450 mm	34,40 kg	312,0 mm

Business parameters

Tarric	64034000
Country	CN

BELFAST safety boots, ANTICUT

» Shoes » Safety shoes » Boots

Weight	2,60 kg
Add Unit	NPR
Add Quantity	1