

CURYCH safety boots, ANTICUT

» Shoes » Safety shoes » Boots

Technical sheet

CURYCH safety boots, ANTICUT

Product code: 7990-S7L



upper	brushed cow suede leather VELOUR in a thickness of 2,0 - 2,2 mm
lining	vapor permeable, waterproof GORE-TEX® membrane
inner insole	HI-POLY - anatomically shaped lightweight polyurethane foam coated with fabric MESH, antistatic
outsole	RUBBER - resistant to fuel oils, glued construction, antistatic, slip resistant
size	39 - 48
standard	EN ISO 20345:2011
version	S7L FO CI SR ANTICTUT LEVEL 2 - with composite toe cap and kevlar midsole, hydrophobic, anticut kevlar lining, kevlar sewing, membrane GORE-TEX®

EN ISO
17249

Properties

PL Midsole penetration protection nonmetallic - PL	Yes
PS Midsole penetration protection nonmetallic - PS	No
SR Antislip prop. on ceramic with glycerol	Yes

CURYCH safety boots, ANTICUT

» Shoes » Safety shoes » Boots

WPA Water resistant upper	Yes
HRO Resist. of the outsole against contact heat	No
WR Water resistant	Yes
WRU Water resistant upper	No
CI Insulation against cold	Yes
HI Insulation of the outsole against heat	No
FO Resist. of the outsole against fuel oils	Yes
P Midsole penetration protection	No
E Energy absorption in the heel area	Yes
M Instep protection	No
A Antistatic properties	Yes
AN Ankle protection	No
CR Cut resistant upper	No
SRA Antislip prop. on ceramic tile with SLS	No
SRB Antislip prop. on smooth steel with glycerol	No
SRC Antislip resistance SRA + SRB	No
Free-tex Membrane	No
Michelin Michelin® sole	No
BOA BOA Fit System	No
NON-METALIC Footwear without metal parts	No
ESD antistatic properties ESD	No
Winter Winter footwear	No
ANTICUT Anti-cut boots	Yes
Standard	20345:2023
Shoe marking	S7

Logistics parameters

Velikost	Net weight	Gross weight	Sales box - width	Sales box - length	Sales box - height	Group packaging - width	Group packaging - length	Group packaging - height	Group packaging - weight	Vnitřní délka obuvi
39	1,98 kg	2,43 kg	325 mm	390 mm	125 mm	405 mm	645 mm	360 mm	13,20 kg	0,0 mm
40	2,01 kg	2,48 kg	325 mm	390 mm	125 mm	405 mm	645 mm	360 mm	13,40 kg	0,0 mm
41	2,10 kg	2,56 kg	325 mm	390 mm	125 mm	405 mm	645 mm	360 mm	13,80 kg	0,0 mm
42	2,15 kg	2,60 kg	325 mm	390 mm	125 mm	405 mm	645 mm	360 mm	14,00 kg	0,0 mm
43	2,24 kg	2,76 kg	365 mm	420 mm	135 mm	435 mm	695 mm	400 mm	15,00 kg	0,0 mm
44	2,31 kg	2,83 kg	365 mm	420 mm	135 mm	435 mm	695 mm	400 mm	15,20 kg	0,0 mm
45	2,39 kg	2,91 kg	365 mm	420 mm	135 mm	435 mm	695 mm	400 mm	15,60 kg	0,0 mm
46	2,49 kg	3,00 kg	365 mm	420 mm	135 mm	435 mm	695 mm	400 mm	16,00 kg	0,0 mm
47	2,57 kg	3,01 kg	365 mm	420 mm	135 mm	435 mm	695 mm	400 mm	16,40 kg	0,0 mm
48	0,00 kg	0,00 kg	0 mm	0 mm	0 mm	0 mm	0 mm	0 mm	0,00 kg	0,0 mm

Business parameters

Tarric	64034000
Country	CN
Weight	2,60 kg

CURYCH safety boots, ANTICUT

» Shoes » Safety shoes » Boots

Add Unit	NPR
Add Quantity	1